



## Module 7.1

# Superchilling

## General Aspects and Potential of the technology

**Ingrid C. Claussen\* and Michael Bantle**

SINTEF Energi AS, Dep. of Thermal Energy

Trondheim (Norway)

Ingrid.c.claussen@sintef.no

# Outline

1. Background
2. Superchilling
3. Superchilling methods
4. Technologies for superchilling
5. Industrial benefits
6. Environmental benefits
7. Consumer benefits
8. Challenges
9. Future potentials
10. Conclusions

References

# Learning Outcomes


- ⇒ What is superchilling?
- ⇒ What is the potential of the technology?
  - **From a producer perspective**
  - **From a consumer perspective**
- ⇒ How products can be processed into superchilled products.
- ⇒ How much ice content commonly is achieved in superchilling.
- ⇒ What shelf life extensions can be expected for superchilled products?

# Background I

- Described already in the 1920's by Le Danois
- In 1970's and 1980's: transportation of fish at sea- low temperatures increased the shelf-life
- Continuous development of the concept during the last 20 years
- Norwegian food industry is currently taking on the superchilling concept but only for "in-house" use for;
  - ✓ Expand shelf life to ease production and storage planning
  - ✓ Extend the sales period for fresh product (meat)
  - ✓ Increase product yield and quality of fish fillets
- Advantages related to prolonged shelf life is not fully exploited

# Background II

- The general accepted shelf-life depends on the storage temperature and temperature fluctuation





Practical storage life for some important fish species (Nordtvedt, 2009)

# Background III


## Superchilling *in short*

- Ice content of 5% to 20%
- Stable storage temperature
- Non-frozen appearance



# Superchilling I

- Superchilling is a method used to extend the self-life of products without reducing the quality
- Product temperature is reduced 1-2 °C below  $T_{i, \text{product}}$  (Initial freezing point of the product)
- Different superchillings methods
- Cold air at low temperature, high speed and short time seem to be the most interesting superchilling method
- The result is a small thin layer of ice formed at the surface - "shell freezing"



# Superchilling II

- The ice formed in the surface will absorb heat from the interior and will eventually reach equilibrium
- The water that is transformed to ice and is used to protect the product from heat impact instead of using surrounding ice (e.g. fresh fish)
- Ice fraction between 5 and 30 % ok for fish, but vary with product
- 10 to 15 % ice-fraction is “normal”
- Superchilling reduces microbiological growth and expands the product shelf life

Chilled cod fillets



Superchilled cod fillets



# Superchilling III

## Storage temperature vs. ice fraction

Product	Storage temperature (superchilled)	Ice fraction	Initial freezing point
Salmon filet	-1.8 °C	6.3 %	-1.6 °C
	-2.2 °C	18.2 %	
	-2.6 °C	26.9 %	
Trout	-2.2 °C	8.2 %	-2.0 °C
	-2.6 °C	21.8 %	
	-3.0 °C	27.0 %	
Mackerel	-1.8 °C	6.3 %	-1.6 °C
	-2.2 °C	18.2 %	
	-2.6 °C	29.3 %	
Herring	-1.8 °C	4.0 %	-1.6 °C
	-2.2 °C	11.6 %	
	-2.6 °C	18.7 %	
Cod (aquaculture)	-1.2 °C	10.2 %	-1.0 °C
	-1.6 °C	27.9 %	
	-2.0 °C	38.6 %	
Beef, lean (Valentas 1997)	-1.0 °C	5 %	n.a.
	-2.0 °C	45 %	

## Ice fraction is the key


- Scientifically
  - ⇒ Developing/evaluating measuring methods
  - ⇒ Relationship quality (sensorial, technical and bio-chemical) vs. ice fraction status and history
  - ⇒ Developing advanced dynamic process control
  
- Commercial
  - ⇒ Product focus
  - ⇒ Developing simple process control
  - ⇒ Equipment evaluation
  - ⇒ Stable storage facilities
  - ⇒ Logistics




# Superchilling methods II

There are different methods for performing superchilling- even today:

- Superchilled storage of foods *without* any pre-treatment
- Superchilled storage after *initial surface freezing* followed by temperature equalization
- Practical superchilling methods:
  - Refrigerated sea water (RSW)
  - Air blast tunnels
  - Contact chilling
- Initial surface freezing causes a more predictable ice-content in the product



## Air-blast Freezing Systems



## Impingement Systems




## Cryogenic Freezing Systems



Liquid nitrogen spraying



## Ice slurry as cooling agent




## CBC - Combined Blast Contact chiller



## Shelf-life


- Longer "fresh sale" period. Stock up before compagins
- Seasonal demand for only parts of the animals; ham, cutlets
- Superchilling reduces the demand for freezing (up to 40%)- more sold as fresh
- Reduction of total energy use for refrigeration





## Increased yield

- Fish fillets are slightly more firm before trimming and more fish meat is wasted
- Research shows increased yield up to +1.5 % in fish fillet production



## Reduced CO<sub>2</sub> eqv.

- No need for ice in fresh fish boxes during transportation
- From Norway: 900 trucks\* with fresh fish each week with approx. 25-30% ice
- 23 % reduction in CO<sub>2</sub> eqv. Changing from ice chilled fish transportation towards superchilled fish transportation
  - Fewer trucks are needed
  - Less flake-ice production



\* In 2014



- The reduced need for packaging and transport of ice in a system applying superchilling will compensate for the environmental impacts of a significant higher energy demand in superchilled production.
- Chilled fillets have ca 30 % higher impact potentials than superchilled fillets for all environmental impact categories. This number is a direct reflection of the ice content in the boxes with chilled fillets.
- The ice is the most important parameter in this assessment
- Transportation by truck and packaging material are by far the two biggest contributors to the impact potential in both systems.
- The potential for reducing the impact on global warming (GWP) is ca 77 925 tons of CO<sub>2</sub>-equivalens per year. Corresponds to the annual emissions of roughly 24 000 cars.

## Reduced food waste

- Higher yield
- Double shelf-life reduces waste (>30 % today)
- Reduced demand of freezing



### Some reported shelf-life extensions

Product	Superchilled storage temperature	Increase shelf life compare to conventional refrigeration
Cod fillets (farmed)	-2.2 °C	+ 14 days
Pork roast	-2.0 °C	+ 14 weeks
Atlantic salmon (farmed)	-1.4 °C and -3.6 °C	+ 17 – 21 days
Chicken	n.a.	+ 15 days
Lamb-leg, fresh	-1.6 °C	+ 19 days

## Food Quality

- Prolonged shelf-life
- Fresh quality- no significant difference in drip loss, colour, pH, protein degradation and sensory

## Food Safety

- Longer shelf-life

## Food Waste

- Doubled shelf-life reduces waste



# Challenges with superchilling

- Food quality - Increased pressure drip-loss for some products
- Food waste - potential for superchilling not utilized today. More investigation regarding superchilling cold chain and use of PCM is needed
- Higher energy use than than traditional chilling, but lower than freezing
- Stringent demands for temperature control - Ice content in the products is sensitive for temperature variations
- Foods are inhomogeneous, both regarding water content, composition and size
- The technology is not suited for all products
- Need for flexible superchilling equipment and dynamic process control for optimization
- Need for energy efficient refrigeration systems and utilization of surplus heat
- Need for highly skilled personell at the production plants, and more challenges further out in the cold chain
- Consumer involvement and approval is important

In short term there is a high potential for the traditional meat/poultry- and fish industry AND for the organic product market

## Industry

- Reduced demand for freezing, more sold as fresh
- Stock-up before campaigns.
- Increased yield in fish industry
- No ice during transport of fresh fish

## Consumer

- Reduced waste
- Longer shelf-life

# Conclusions

- **Superchilling enable safe, high quality and long term storage of foods**
- **Main advantages are**
  1. Extended shelf life
  2. Increased production capacity
  3. Increased yield and profit
  4. Simplified production planning
  5. New products and markets
  6. Environmental friendly cold chain
  7. Can be adapted to a wide range of products: Meat, fish, poultry...

# References

- **Nordvedt, T.S.** (2009) *Superkjøling av fisk- en litteratirstudie og prosjektoverisktt.* In SINTEF Energiprosesser AS, Trondheim 20.
- **Claussen, I.C.** (2011) *Literature review and experimental data of chilled, superchilled/supercooled fish quality and safety models.* Deliverable D3.2.4.3 FRISBEE Food Refrigeration Innovations for Safety, Consumers' Benefit, Environmental Impact and Energy Optimisation Along the Cold Chain in Europe
- **Haugland, A.** (2006) *SUPERCHILLING – innovative processing of fresh fish* NFTC, Trondheim 7-8 august 2006





This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-nd/4.0/>.